

LITHOTEX® Pavecrafters® Catalog

Architectural Concrete Patterns and Textures for Designers and Contractors

■ Stamped Concrete Pattern and Texture Guide ■



Pattern: Majestic Ashlar



Protect Your Concrete with Scofield Sealers

Scofield sealers protect the surface, enhance the appearance of colored concrete, and may provide protection against contamination and chemical attack by imparting a film-forming layer on the surface of the concrete. Consult a Scofield Concrete Cures & Sealers Guide.

LITHOTEX® Pavecrafters® stamping tools are used to transform the surface of freshly placed architectural concrete into patterns and textures that mimic wood, stone, brick or tile. The resulting concrete surface is natural looking and low-maintenance, with the structural strength and wear-resistance of concrete.



A SIKA BRAND



Pattern: English Yorkstone **Base Color:** LITHOCHROME® Color Hardener "Ash White"
Accent Color: LITHOCHROME® Antiquing Release Pro "Platinum Gray"



Sika® Scofield® is pleased to provide distributors, contractors and architectural specifications with this comprehensive catalog of our products. This catalog is designed as a guide for choosing patterns and products for your decorative concrete installations. The pictures used in this catalog should not be used to choose color for your project. Please refer to our color charts or an actual sample for the specific product you have chosen, and always create a job site mock-up prior to all decorative concrete installations.

Please visit www.scofield.com to view our extensive photo gallery, product descriptions and current Product Data Sheets (PDS). The Product Data Sheets provide a more comprehensive overview of each product with complete instructions for use. These are a must read before the start of each job. Also available for download on our website are our Architectural Guide Specifications. These specifications assist the design professional in creating decorative concrete specifications.

Coverage Rates	2
Decorative Concrete Texturing Systems	
Stone Patterns	3-10
Wood Patterns	11-16
Slate Patterns.....	17-19
Brick Patterns.....	21-23
Texture Mats & Touch-up Skins.....	25-29
Texture Rollers	29-30
Compass Patterns.....	32
Specialty Patterns	31-35
Border Patterns	36-39
Soldier Course Accessories	38
Textured Stamping Shoes	39
Stamping Accessories.....	40
Stackable Form Liner	42
Country Ledge Form Liner	43-44
Form & Step Liners	45-51
Urethane Precast Molds	
Table Mold System.....	52
Concrete Bench Mold System.....	53
Wood Slab Mold System.....	54
Vertical Texturing Systems	
Vertical Stamping Tools.....	55
Vertical Overlay Accessories.....	56
Decorative Concrete Stencils	
Infield Patterns	57
Borders.....	57
Stencil Accessories	57
Decorative Concrete Overlays	
SCOFIELD® Texturetop Pro Stamp Grade.....	58
SCOFIELD® Texturetop Pro Primer.....	58
SCOFIELD® Texturetop Pro Stencil Grade	59
Concrete Coloring, Staining & Release Systems	
LITHOCHROME® Color Hardener	60
LITHOTIQUE™ Antiquing Agent	60
CHROMIX® Admixtures for Color-Conditioned® Concrete	61
SCOFIELD® Integral Color SG.....	62
LITHOCHROME® Antiquing Release Pro	63
SCOFIELD® Liquid Release BG.....	63
LITHOCHROME® Chemstain® Classic.....	64
LITHOCHROME® Tintura™ Stain	64
Concrete Curing & Sealing Products	
SCOFIELD® Cureseal™ 700.....	65
SCOFIELD® Cureseal™ 350.....	65
SCOFIELD® Cureseal-W™	66
SCOFIELD® Selectseal™ Plus	66
SCOFIELD® Repello® FPS	66
LITHOCHROME® Colorwax™	66
Miscellaneous Products	
LITHOCAST™ Surface Retarder	67

COVERAGE RATES

All coverage rates may vary depending on job site conditions.
For actual coverage rates, job site mock-ups must be completed.


PRODUCT	PACKAGING	COVERAGE
INTEGRAL COLOR		
CHROMIX® Admixtures (5 Sack)	dissolvable bag (weight varies)	1 bag/cu. yd.
CHROMIX® Admixtures (6 Sack)	dissolvable bag (weight varies)	1 bag/cu. yd.
SCOFIELD® Integral Color SG	dissolvable bag	1 bag/2 cu. yd., 1 bag/1 cu. yd., 2 bags/1 cu. yd., 3 bags/1 cu. yd.
COLOR HARDENER		
LITHOCHROME® Color Hardener	50 lb. square pail	50 to 110 pounds per 100 sq. ft.
EMERCHROME® SC Color Hardener	60 lb. round pail	90 to 120 pounds per 100 sq. ft.
ANTIQUING AGENTS		
LITHOTIQUE™ Antiquing Agent	3 lb. (1.4 kg) pail	2,000-3,000 sq. ft. (185-279 m2) per 3 lb. of powder mixed with clean potable water
RELEASE AGENTS		
LITHOCHROME® Antiquing Release Pro	30 lb. pail	1,000-1,200 sq. ft.
SCOFIELD® Liquid Release BG	5 gal. pail	750 sq. ft.
CONCRETE STAINS		
LITHOCHROME® Chemstain® Classic	1 gal. jug	200-300 sq. ft. (mixed with 1 gal. potable water)
LITHOCHROME® Tintura Stain	32 oz. unit	200-400 sq. ft. (mixed with 96 oz. potable water)
OVERLAY MATERIALS		
SCOFIELD® Texuretop® Pro Stamp Grade (gray & white)	55 lb. bag	16 sq. ft. at 3/8" thickness
SCOFIELD® Texuretop® Pro Stencil Grade (gray & white)	55 lb. bag	48 sq. ft. at 1/8" thickness
SCOFIELD® Texuretop® Pro Primer	1 gal. jug	200 sq.ft. per mixed gallon (4.9 m²/L)
SCOFIELD® Texuretop® Pro Color Pack (available in Texuretop® & Integral SG dry colors)	bag (weight varies)	1 bag/1 bag of overlay
STENCILS		
Non-Adhesive Stencils	1,000 sq. ft. roll (4' x 250')	900 sq. ft. after cutting
Adhesive Stencils	500 sq. ft. roll (3' x 167')	400 sq. ft. after cutting
Non-Adhesive Soldier Course Stencils	300 ft. roll	275 LF after cutting
Adhesive Soldier Course Stencils	300 ft. roll	275 LF after cutting
SURFACE RETARDERS		
LITHOCAST™ Surface Retarder	5 gal.	175-300 sq. ft./gal.
CURING & SEALING		
SCOFIELD® Cureseal™ 700	5 gal.	Curing: 300 sq. ft./gal. Sealing: 300-400 sq. ft./gal.
SCOFIELD® Cureseal™ 350	5 gal.	Curing: 300 sq. ft./gal. Sealing: 300-400 sq. ft./gal.
SCOFIELD® Cureseal-W™	1 gal., 5 gal.	200-400 sq. ft./gal.
SCOFIELD® Selectseal™ Plus	1 gal., 5 gal.	200-400 sq. ft./gal.
SCOFIELD® Repello®	1 gal., 5 gal.	200-400 sq. ft./gal.
LITHOCHROME® Colorwax™	1 gal., 5 gal.	100-400 sq. ft./gal.



Classic Stone Patterns

LITHOTEX® Pavecrafters® Concrete Patterns and Textures

- Infield: York Bluestone
- Border: Bluestone Texture



Classic Stone Patterns

LITHOTEX® Pavecrafters® Concrete Patterns and Textures



Note: All measurements are approximate



Dublin Cobble

Pattern # S5800

Additional Tools:
Filler Stone – S5801



Recommended Contractor Set: 8 Rigid (4 of each color),
2 Flex (1 of each color), 1 Filler Stone, 1 Skin, 1 Roller Sleeve

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Bluestone – S20018-TS

Touch-up Texture Roller Sleeve: Bluestone – SR0920

Chisels: 2", 4", 8" & 12" **Touch-up Wheel:** Medium Stone Edge



Mayan Cobblestone Circle

Available Tools:

5' Diameter (Black) – S5165

10' Diameter (Green) – S5170

15' Diameter (Blue) – S5175


Recommended Contractor Set: 4 Rigid (S5165),
3 Rigid (S5170), 3 Rigid (S5175), 1 Skin, 1 Roller Sleeve

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Coarse Stone – S7418-TS

Touch-up Texture Roller Sleeve: Coarse Stone – SR0974

Chisels: 2" & 4" **Touch-up Wheel:** 3/16" or 3/8"



Large Stone Fan

Pattern # S5200

Recommended Contractor Set: 10 Rigid, 2 Flex, 1 Skin,
1 Roller Sleeve


Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Chiseled Slate – S7618-TS

Touch-up Texture Roller Sleeve: Chiseled Slate – SR0976

Chisels: 2" **Touch-up Wheel:** 3/16"

Grout Line Width: 3/16"



Verona Cobblestone

Pattern # S5400

Recommended Contractor Set: 7 Rigid, 1 Flex, 1 Skin, 1 Roller Sleeve

Suggested Touch-up and Detailing Tools:


Touch-up Texture Skin: Chiseled Slate – S7618-TS

Touch-up Texture Roller Sleeve: Chiseled Slate – SR0976

Chisels: 4", 8", & 12" **Touch-up Wheel:** 3/8"

This tool can be rotated to reduce repetition and provide a more natural stone appearance.

Grout Line Width: 3/16"-1/2"



Classic Stone Patterns

LITHOTEX® Pavecrafters® Concrete Patterns and Textures

Note: All measurements are approximate



English Yorkstone

Pattern # S4380

Recommended Contractor Set: 9 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve


Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Italian Slate – S7218-TS

Touch-up Texture Roller Sleeve: Italian Slate – SR0972

Chisels: 2", 4", & 8" **Touch-up Wheel:** 3/8"

Grout Line Width: 3/8"-1"



Mayan Cobblestone

Pattern # S5100

Recommended Contractor Set: 10 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve


Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Coarse Stone – S7418-TS

Touch-up Texture Roller Sleeve: Coarse Stone – SR0974

Chisels: 2" & 4" **Touch-up Wheel:** 3/16" or 3/8"

Grout Line Width: 1/8"-3/4"



Cobblestone

Pattern # S5000

Recommended Contractor Set: 10 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve


Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Chiseled Slate – S7618-TS

Touch-up Texture Roller Sleeve: Chiseled Slate – SR0976

Chisels: 2" & 4" **Touch-up Wheel:** 3/16"

Grout Line Width: 1/4"-1/2"



Baltic Cobblestone

Pattern # S5500

Recommended Contractor Set: 9 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve

Suggested Touch-up and Detailing Tools:


Touch-up Texture Skin: Chiseled Slate – S7618-TS

Touch-up Texture Roller Sleeve: Chiseled Slate – SR0976

Chisels: 2" & 4" **Touch-up Wheel:** 3/16"

Grout Line Width: 1/4"

Stone Size: 5 3/4" x 4"-5 3/4" x 9 1/4"



Colorado Flag



Classic Stone Patterns

LITHOTEX® Pavecrafters® Concrete Patterns and Textures

Note: All measurements are approximate



Granite Herringbone

Pattern # S5600

Recommended Contractor Set: 8 Rigid, 1 Flex, 1 Skin

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Granite Herringbone – S5601-TS

Chisels: 2", 4", & 8" **Touch-up Wheel:** 3/16"

Touch-up Texture Skin


Pattern # S5601-TS



18" x 18"

Grout Line Width: 1/2"

Stone Size: 11 1/2" x 5 1/2"



Tetra Stone

Pattern # S5300

Recommended Contractor Set: 6 Rigid, 1 Flex, 1 Skin, 1 Roller Sleeve

Suggested Touch-up and Detailing Tools:


Touch-up Texture Skin: Chiseled Slate – S7618-TS

Touch-up Texture Roller Sleeve: Chiseled Slate – SR0976

Chisels: 2", 4", & 8" **Touch-up Wheel:** 3/16" or 3/8"

Flex stamp is approx. 30" x 30"

Grout Line Width: 3/16"-1/2"



English Rivenstone

Pattern # S5700

Recommended Contractor Set: 9 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve

Suggested Touch-up and Detailing Tools:


Touch-up Texture Skin: Bluestone – S20018-TS

Touch-up Texture Roller Sleeve: Bluestone – SR0920

Chisels: 2" & 4" **Touch-up Wheel:** 3/16" or 3/8"

Grout Line Width: 1/4"-1"

Grout Line Depth: 1/16"-5/16"



Colorado Flag

Pattern # S3200

Recommended Contractor Set: 7 Rigid, 1 Flex, 1 Skin, 1 Roller Sleeve


Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Bluestone – S20018-TS

Touch-up Texture Roller Sleeve: Bluestone – SR0920

Chisels: 2", 4", 8" & 12" **Touch-up Wheel:** 3/16" or 3/8"


Grout Line Width: 3/16"-3/8"



Classic Stone Patterns

LITHOTEX® Pavecrafters® Concrete Patterns and Textures

Note: All measurements are approximate



9" x 54" Bluestone

Pattern # S4220

Recommended Contractor Set: 12 Rigid, 3 Flex, 1 Skin, 1 Roller Sleeve



Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Bluestone – S20018-TS

Touch-up Texture Roller Sleeve: Bluestone – SR0920

Chisels: 2", 4", 8", & 12" **Touch-up Wheel:** 3/16"

Grout Line Width: 1/4"
Grout Line Depth: 5/32"



18" x 36" Bluestone

Pattern # S4210

Recommended Contractor Set: 9 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve


Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Bluestone – S20018-TS

Touch-up Texture Roller Sleeve: Bluestone – SR0920

Chisels: 2", 4", 8", & 12" **Touch-up Wheel:** 3/16"

Grout Line Width: 3/8"



This example is laid out in a herringbone pattern. It can also be laid out in running bond, stacked bond, or basket weave.



York Bluestone

Available Tools:

24" x 6" – S20624

18" x 12" – S21218

30" x 18" – S21830

12" x 12" – S21212

18" x 18" – S21818

24" x 24" – S22424

30" x 30" – S23030

36" x 36" – S23636

Recommended Contractor Set: 2 of each Rigid, 1 – 12"x 12" Flex, 1 – 18"x 18" Flex, 1 Skin, 1 Roller Sleeve








Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Bluestone – S20018-TS

Touch-up Texture Roller Sleeve: Bluestone – SR0920

Chisels: 2", 4", 8", & 12" **Touch-up Wheel:** 3/16"

Grout Line Width: 1/2"



24" x 24" Bluestone

Classic Stone Patterns

LITHOTEX® Pavecrafters® Concrete Patterns and Textures



Note: All measurements are approximate



24" x 24" Bluestone

Pattern # S4200



Recommended Contractor Set: 7 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Bluestone – S20018-TS

Touch-up Texture Roller Sleeve: Bluestone – SR0920

Chisels: 2", 4", & 8" **Touch-up Wheel:** 3/16"



8" Tumbled Edge Stone

Pattern # S8200

Recommended Contractor Set: 8 Rigid, 1 Flex, 1 Skin, 1 Roller Sleeve



Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Chiseled Slate – S7618-TS

Touch-up Texture Roller Sleeve: Chiseled Slate – SR0976

Chisels: 2", 4", & 8" **Touch-up Wheel:** 3/16" or 3/8"

Grout Line Width: 1/4"-5/8"



4" x 4" Granite Set

Pattern # S5610

Recommended Contractor Set: 10 Rigid, 2 Flex, 1 Skin

Suggested Touch-up and Detailing Tools:



Touch-up Texture Skin: 4" x 4" Granite Set – S5618-TS

Chisels: 2" & 4" **Touch-up Wheel:** 3/16" or 3/8"

Grout Line Width: 3/8"-5/8"

Touch-up Texture Skin

Pattern # S5618-TS



Garden Path

Pattern # S3400

Recommended Contractor Set: 12 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve



Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Chiseled Slate – S7618-TS

Touch-up Texture Roller Sleeve: Chiseled Slate – SR0976

Chisels: 2" **Touch-up Wheel:** 3/16" or 3/8"


Grout Line Width: 3/8"-3/4"
Stone Size: 1" x 1 1/2"-12 1/2" x 19"



Classic Stone Patterns

LITHOTEX® Pavecrafters® Concrete Patterns and Textures

Note: All measurements are approximate



Fieldstone

Pattern # S3000

Recommended Contractor Set: 12 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve


Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Chiseled Slate – S7618-TS

Touch-up Texture Roller Sleeve: Chiseled Slate – SR0976

Chisels: 2" **Touch-up Wheel:** 3/16" or 3/8"

Grout Line Width: 1/4"-5/8"



Brook Stone

Pattern # S3600

Recommended Contractor Set: 9 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve

Suggested Touch-up and Detailing Tools:


Touch-up Texture Skin: Coarse Stone – S7418-TS

Touch-up Texture Roller Sleeve: Coarse Stone – SR0974

Chisels: 2" **Touch-up Wheel:** 3/16" or 3/8"

Grout Line Width: 1/4"-5/8"

Grout Line Depth: 1/16"-1/4"



Ashler Stone

Pattern # S4370

Recommended Contractor Set: 12 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve


Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Chiseled Slate – S7618-TS

Touch-up Texture Roller Sleeve: Chiseled Slate – SR0976

Chisels: 4" & 8" **Touch-up Wheel:** 3/16"

Grout Line Width: 1/4"



Octagon Stone

Pattern # S8220

Recommended Contractor Set: 4 Rigid, 1 Flex, 1 Skin, 1 Roller Sleeve


Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Bluestone – S20018-TS

Touch-up Texture Roller Sleeve: Bluestone – SR0920

Chisels: 4" & 8" **Touch-up Wheel:** 3/16" or 3/8"


Grout Line Width: 3/8"-3/4"



Classic Stone Patterns

LITHOTEX® Pavecrafters® Concrete Patterns and Textures

Note: All measurements are approximate



Orchard Stone

Pattern # S3100

Recommended Contractor Set: 7 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve



Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Italian Slate – S7218-TS

Touch-up Texture Roller Sleeve: Italian Slate – SR0972

Chisels: 2" **Touch-up Wheel:** 3/8"

Grout Line Width: 3/8"-3/4"



Fox Valley Flagstone

Pattern # S3300

Additional Tools:

Half Flexible – S3200-F

Recommended Contractor Set: 9 Rigid, 2 Half Flex, 1 Skin, 1 Roller Sleeve


Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Coarse Stone – S7418-TS

Touch-up Texture Roller Sleeve: Coarse Stone – SR0974



Chisels: 2", 4", & 8" **Touch-up Wheel:** 3/8"

Grout Line Width: 1/2"-1"



Half Flexible

Pattern # S3200-F



Appalachian Flagstone

Pattern # S3700

Recommended Contractor Set: 9 Rigid (3 of each color), 3 Flex (1 of each color), 1 Skin

Suggested Touch-up and Detailing Tools:


Touch-up Texture Skin: Oxford Slate – S8418-TS

Chisels: 2" & 4"

Touch-up Wheel: 3/8" or Medium Stone Edge

Grout Line Width: 1/4"-1 3/8"

Grout Line Depth: 3/16"



Rustic Wood Patterns

LITHOTEX® Pavecrafters® Concrete Patterns and Textures

■ 6" Wood Plank



6" Wood Plank



Rustic Wood Patterns

LITHOTEX® Pavecrafters® Concrete Patterns and Textures

Note: All measurements are approximate



6" Wood Plank

Pattern # S7370

Grout Line Width: 1/8"

Additional Tools:

Single Wood Plank Flexible – S7371FL
Flexible 'X' – S7370XFL
Flexible 'Y' – S7370YFL
8" Timber End Grain Set – S7398 (see page 16)




Recommended Contractor Set: 3 Black Rigid, 3 Blue Rigid, 1 'X' Flex, 1 'Y' Flex, 1 Single Plank Flex, 1 Skin

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: 6" Wood Plank – S7372-TS


Chisels: 2", 4", & 8" **Touch-up Wheel:** not recommended

Both Flexible 'X' and Flexible 'Y' tools are recommended to



Flexible 'X'

Pattern # S7370XFL



Flexible 'Y'

Pattern # S7370YFL

24" x 6"


Single Wood Plank Flexible

Pattern # S7371FL

22 1/2" x 5 1/2"

Touch-up Texture Skin

Pattern # S7372-TS



3 1/2" Hardwood Planks

Pattern # S7350

Additional Tools:

Single Hardwood Plank Flexible – S7351FL
Flexible 'X' – S7350XFL
Flexible 'Y' – S7350YFL
8" Timber End Grain Set – S7398 (see page 16)

Recommended Contractor Set: 5 Rigid, 1 'X' Flex, 1 'Y' Flex, 2 Single Plank Flex

Suggested Touch-up and Detailing Tools:

Chisels: 2", 4", & 8" **Touch-up Wheel:** not recommended


Both Flexible 'X' and Flexible 'Y' tools are recommended to continue consistency of wood grain in stamped pattern

Grout Line Width: 1/16"

23 1/2" x 3 1/2"


Single Hardwood Plank Flexible

Pattern # S7351FL



Flexible 'X'

Pattern # S7350XFL



Flexible 'Y'

Pattern # S7350YFL

Rustic Wood Patterns

LITHOTEX® Pavecrafters® Concrete Patterns and Textures

Note: All measurements are approximate



12" Wood Plank

Available Tools:

16" x 12" – S7516
32" x 12" – S7532
48" x 12" – S7548
64" x 12" – S7564
80" x 12" – S7580
96" x 12" – S7596

Additional Tools:


8" Timber End Grain Set – S7398 (see page 16)

Recommended Contractor Set: 2 to 3 of each Rigid, 1 – 16" x 12" Flex, 1 – 32" x 12" Flex, 1 – 48" x 12" Flex, 1 Skin


Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: 12" Wood Plank – S7599-TS

Chisels: 2", 4", 8", & 12" **Touch-up Wheel:** not recommended



Grout Line Width: 1/8"



Pebblewood

Pattern # S7360

Additional Tools:

Pebblewood Touch-up Set of 2 – S7361


Recommended Contractor Set: 12 Rigid, 2 Flex, 1 Touch-up Set of 2, 1 Skin

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin:


Pebblewood Grain – S7362-TS

Chisels: 2", 4", & 8" **Touch-up Wheel:** 3/16"




Touch-up Set of 2

Pattern # S7361



Touch-up Texture Skin

Pattern # S7362-TS



Grout Line Width: 1/8"
Grout Line Depth: 1/8"



Rustic Wood Patterns

LITHOTEX® Pavecrafters® Concrete Patterns and Textures

Note: All measurements are approximate



Gilpin's Falls Bridge Plank

Available Tools:

55" x 16" (Green) – S7380GR

55" x 16" (Blue) – S7380BL

55" x 16" (Black) – S7380BK

Grout Line Width: 1/8"

Grout Line Depth: 3/16"

Additional Tools:

96" x 16" (Black) – S7388BK

8" Timber End Grain Set – S7398 (see page 16)

4" End Grain Liner– S9177

Recommended Contractor Set: 9 Rigid, 2 Flex, 1 – 25" x 13 1/2" Skin, 1 – 53" x 15" Skin

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skins:

25" x 13 1/2" Gilpin's Falls Bridge Plank – S7380-TS


53" x 15" Gilpin's Falls Bridge Plank – S7381-TS

Chisels: 2", 4", 8", & 12" **Touch-up Wheel:** not recommended



53" x 15" Touch-up Texture Skin

Pattern # S7362-TS



25" x 13 1/2" Touch-up Texture Skin

Pattern # S7362-TS



4" Gilpin's Falls End Grain Liner

Pattern # S9177

Image shows cross section only to show texture

Grout Line Width: 1/8"
Grout Line Depth: 3/16"



Used to create an end grain texture/pattern on the face of a slab or riser when using Gilpin's Falls Bridge Plank stamp pattern




96" x 16" Gilpin's Falls Bridge Plank

Pattern # S7388BK

Rustic Wood Patterns

LITHOTEX® Pavecrafters® Concrete Patterns and Textures

Note: All measurements are approximate



Wood Paver Ashlar

Pattern # S7345

Additional Tools:

Wood Paver Ashlar Set of 2 Starter Pieces – S7346 (see **A**)

Recommended Contractor Set: 9 Rigid, 2 Flex, 1 Set of 2 Starter Pieces, 1 Skin



Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Wood Paver – S7344-TS (see **B**)

Chisels: 2", 4", 8", & 12" **Touch-up Wheel:** 3/16"

This tool can be rotated to reduce repetition

Grout Line Width: 1/16"-1/4"
Grout Line Depth: 1/8"



Wood Paver Cobble

Pattern # S7340


Recommended Contractor Set: 9 Rigid, 2 Flex, 1 Skin

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Wood Paver – S7344-TS (see **B**)

Chisels: 2", 4", 8", & 12" **Touch-up Wheel:** 3/16"

Grout Line Width: 1/16"-1/8"
Grout Line Depth: 1/8"-1/4"



Wood Paver Running Bond

Pattern # S7390

Additional Tools:


Single Paver Touch-up Tool Set of 2 – S7391

Starter Tool – S7392

Recommended Contractor Set: 7 Rigid, 2 Flex, 1 Single Paver Touch-up Tool Set of 2, 1 Flex and 1 Rigid Starter Tool


Suggested Touch-up and Detailing Tools:

Chisels: 2", 4", 8", & 12" **Touch-up Wheel:** not recommended



Starter Tool

Pattern # S7392



Single Paver Touch-up Tool Set of 2


Pattern # S7391

Includes 1 Flex and 1 Rigid



Grout Line Width: 1/16"-1/8"
Grout Line Depth: 1/16"-1/8"
Paver Block Size: 7" x 3 1/4"

Pebbleweood




Rustic Wood Patterns

LITHOTEX® Pavecrafters® Concrete Patterns and Textures


Note: All measurements are approximate

Gilpin's Falls Bridge Plank
with 8" Timber End Grain Set



8" Timber End Grain Set

Pattern # S7398



The 8" Timber End Grain Set includes two 8" x 16" end grain texture skins (can be easily cut to desired size). They are commonly used to face patio edges and steps or used as a form liner.




Gilpin's Falls Bridge Plank

Stylish Slate Patterns

LITHOTEX® Pavecrafters® Concrete Patterns and Textures

- Infield: Majestic Ashlar
- Border: Heavy Stone Texture



Majestic Ashlar



Stylish Slate Patterns

LITHOTEX® Pavecrafters® Concrete Patterns and Textures

Note: All measurements are approximate



Ashlar Slate

Pattern # S4000


Recommended Contractor Set: 12 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Italian Slate – S7218-TS

Touch-up Texture Roller Sleeve: Italian Slate – SR0972

Chisels: 2", 4", & 8" **Touch-up Wheel:** 3/16"



Majestic Ashlar

Pattern # S4100

Recommended Contractor Set: 9 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve



Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Italian Slate – S7218-TS

Touch-up Texture Roller Sleeve: Italian Slate – SR0972

Chisels: 2", 4", & 8" **Touch-up Wheel:** 3/16"

Grout Line Width: 1/4"-3/8"



Cottage Slate

Pattern # S4400

Recommended Contractor Set: 9 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve



Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Italian Slate – S7218-TS

Touch-up Texture Roller Sleeve: Italian Slate – SR0972

Chisels: 2", 4", & 8" **Touch-up Wheel:** 3/16"

Grout Line Width: 3/8"-1/2"



3' x 3' Slate

Pattern # S4403

Recommended Contractor Set: 9 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve


Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Italian Slate – S7218-TS

Touch-up Texture Roller Sleeve: Italian Slate – SR0972

Chisels: 2", 4", 8", & 12" **Touch-up Wheel:** 3/16"

Grout Line Width: 3/16"-3/8"



Stylish Slate Patterns

LITHOTEX® Pavecrafters® Concrete Patterns and Textures

Note: All measurements are approximate



18" x 18" Slate

Pattern # S4400BL

Recommended Contractor Set: 9 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve


Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Italian Slate – S7218-TS

Touch-up Texture Roller Sleeve: Italian Slate – SR0972

Chisels: 2", 4", & 8" **Touch-up Wheel:** 3/16"

Grout Line Width: 3/8"-1/2"



6" x 6" Slate

Pattern # S4350

Recommended Contractor Set: 9 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve



Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Italian Slate – S7218-TS

Touch-up Texture Roller Sleeve: Italian Slate – SR0972

Chisels: 2", 4", & 8" **Touch-up Wheel:** 3/16"

Grout Line Width: 3/16"-5/16"



12" x 12" Slate

Pattern # S4300

Recommended Contractor Set: 13 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve



Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Italian Slate – S7218-TS

Touch-up Texture Roller Sleeve: Italian Slate – SR0972

Chisels: 2", 4", & 8" **Touch-up Wheel:** 3/16"

Grout Line Width: 1/4"-3/8"



Diamond Tile

Pattern # S4500

Recommended Contractor Set: 8 Rigid, 1 Flex, 1 Skin, 1 Roller Sleeve


Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Bluestone – S20018-TS

Touch-up Texture Roller Sleeve: Bluestone – SR0920

Chisels: 2", 4", & 8" **Touch-up Wheel:** 3/16"

Grout Line Width: 1/4"





Vintage Brick Patterns

LITHOTEX® Pavecrafters® Concrete Patterns and Textures

■ Pennsylvania Avenue Brick Running Bond



Vintage Brick Patterns

LITHOTEX® Pavecrafters® Concrete Patterns and Textures

Note: All measurements are approximate



New Brick Running Bond

Pattern # S6200

Recommended Contractor Set: 10 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: New Brick – S7318-TS

Touch-up Texture Roller Sleeve: New Brick – SR0960

Chisels: 2", 4", & 8" **Touch-up Wheel:** 3/16" or 3/8"

Grout Line Width: 1/4"-3/8"

Brick Size: 7 5/8" x 3 3/4"



New Brick Herringbone

Pattern # S6000

Recommended Contractor Set: 10 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve

Suggested Touch-up and Detailing Tools:


Touch-up Texture Skin: New Brick – S7318-TS

Touch-up Texture Roller Sleeve: New Brick – SR0960

Chisels: 2", 4", & 8" **Touch-up Wheel:** 3/16" or 3/8"

Grout Line Width: 1/4"-3/8"

Brick Size: 7 5/8" x 3 3/4"



New Brick Basket Weave

Pattern # S6100

Recommended Contractor Set: 10 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve

Suggested Touch-up and Detailing Tools:


Touch-up Texture Skin: New Brick – S7318-TS

Touch-up Texture Roller Sleeve: New Brick – SR0960

Chisels: 2", 4", & 8" **Touch-up Wheel:** 3/16" or 3/8"

Grout Line Width: 1/4"-1/2"

Brick Size: 7 5/8" x 3 3/4"



Old Chicago Running Bond Brick

Pattern # S6600

Recommended Contractor Set: 10 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve

Suggested Touch-up and Detailing Tools:


Touch-up Texture Skin: Old Chicago – S7318-TS

Touch-up Texture Roller Sleeve: Old Chicago – SR0960

Chisels: 2", 4", & 8" **Touch-up Wheel:** 3/8"

Grout Line Width: 1/4"-7/8"

Brick Size: 8 1/2" x 4"



Brick Pattern Accessories



**9" Old Chicago
Texture Roller Sleeve**

Pattern # SR0966

Patent No. 9,079,330



**9" New Brick
Texture Roller Sleeve**

Pattern # SR0960

Patent No. 9,079,330

The 9" texture roller sleeves fit on most 9" paint rollers with 3/4" nap.



Vintage Brick Patterns

LITHOTEX® Pavecrafters® Concrete Patterns and Textures

Note: All measurements are approximate



Old Chicago Herringbone Brick

Pattern # S6700

Recommended Contractor Set: 10 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve


Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Old Chicago – S73180-TS

Touch-up Texture Roller Sleeve: Old Chicago – SR0966

Chisels: 2", 4", & 8" **Touch-up Wheel:** 3/8"

Grout Line Width: 3/8"-7/8"
Grout Line Depth: 1/16"-1/4"
Brick Size: 8 1/2" x 4"



Pennsylvania Avenue Brick Running Bond

Pattern # S6605

Recommended Contractor Set: 10 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve


Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Old Chicago – S73180-TS

Touch-up Texture Roller Sleeve: Old Chicago – SR0966

Chisels: 2", 4", & 8" **Touch-up Wheel:** 3/16"

Grout Line Width: 1/4"-3/8"
Brick Size: 8" x 3 7/8"



Pennsylvania Avenue Herringbone Brick

Pattern # S6606

Recommended Contractor Set: 10 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve


Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Old Chicago – S73180-TS

Touch-up Texture Roller Sleeve: Old Chicago – SR0966

Chisels: 2", 4", & 8" **Touch-up Wheel:** 3/16"

Grout Line Width: 1/4"-3/8"
Brick Size: 8" x 3 7/8"



Jumbo Brick Running Bond

Pattern # S6202

Recommended Contractor Set: 10 Rigid, 2 Flex, 1 Skin, 1 Roller Sleeve


Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: New Brick – S7318-TS

Touch-up Texture Roller Sleeve: New Brick – SR0960

Chisels: 2", 4", & 8" **Touch-up Wheel:** 3/8"


Grout Line Width: 3/8"-1/2"
Brick Size: 9 1/8" x 6"



Brick Pattern Accessories are also used with Brick Border Patterns (see page 37-39)



**Old Chicago
Touch-up Texture Skin**
Pattern # S73180-TS



**New Brick
Touch-up Texture Skin**
Pattern # S7318-TS



PENNSYLVANIA AVENUE BRICK RUNNING



JUMBO BRICK RUNNING



PENNSYLVANIA AVENUE HERRINGBONE



OLD CHICAGO HERRINGBONE




OLD CHICAGO RUNNING BOND

Rugged Textures

LITHOTEX® Pavecrafters® Concrete Patterns and Textures

■ Bluestone Texture



Heavy Stone Texture Mat



Rugged Textures

LITHOTEX® Pavecrafters® Concrete Patterns and Textures

Note: All measurements are approximate





Travertine Texture Mats & Touch-up Skins

Available Tools:

- 18" x 18" – S8618-TS (touch-up texture skin)
- 36" x 36" – S8636-TS (texture mat with handles)
- 48" x 48" – S8648-TS (texture mat with handles)

Recommended Contractor Set: 4 – 48" x 48", 1 – 18" x 18"



Chiseled Slate Texture Mats & Touch-up Skins


Available Tools:

- 18" x 18" – S7618-TS (touch-up texture skin)
- 36" x 36" – S7636-TS (texture mat with handles)
- 48" x 48" – S7648-TS (texture mat with handles)

Recommended Contractor Set: 4 – 48" x 48", 1 – 18" x 18",
1 Roller Sleeve

Suggested Touch-up and Detailing Tools:

Touch-up Texture Roller Sleeve: Chiseled Slate – SR0976



Heavy Stone Texture Mats & Touch-up Skins

Available Tools:

- 18" x 18" – S7118-TS (touch-up texture skin)
- 36" x 36" – S7136-TS (texture mat with handles)
- 48" x 48" – S7148-TS (texture mat with handles)

Recommended Contractor Set: 4 – 48" x 48", 1 – 18" x 18"



Italian Slate Texture Mats & Touch-up Skins

Available Tools:

- 18" x 18" – S7218-TS (touch-up texture skin)
- 36" x 36" – S7236-TS (texture mat with handles)
- 48" x 48" – S7248-TS (texture mat with handles)

Recommended Contractor Set: 4 – 48" x 48", 1 – 18" x 18",
1 Roller Sleeve

Suggested Touch-up and Detailing Tools:


Touch-up Texture Roller Sleeve: Italian Slate – SR0972



Rugged Textures

LITHOTEX® Pavecrafters® Concrete Patterns and Textures

Note: All measurements are approximate



Coarse Stone Texture Mats & Touch-up Skins

Available Tools:

18" x 18" – S7418-TS (touch-up texture skin)
36" x 36" – S7436-TS (texture mat with handles)
48" x 48" – S7448-TS (texture mat with handles)

Recommended Contractor Set: 4 – 48" x 48", 1 – 18" x 18",
1 Roller Sleeve

Suggested Touch-up and Detailing Tools:

Touch-up Texture Roller Sleeve: Coarse Stone – SR0974




Quartzite Strata Texture Mats & Touch-up Skins

Available Tools:

18" x 18" – S7718-TS (touch-up texture skin)
36" x 36" – S7736-TS (texture mat with handles)
48" x 48" – S7748-TS (texture mat with handles)

Recommended Contractor Set: 4 – 48" x 48", 1 – 18" x 18"



Bluestone Texture Mats & Touch-up Skins


Available Tools:

18" x 18" – S20018-TS (touch-up texture skin)
36" x 36" – S20036-TS (texture mat with handles)
48" x 48" – S20048-TS (texture mat with handles)

Recommended Contractor Set: 4 – 48" x 48", 1 – 18" x 18",
1 Roller Sleeve

Suggested Touch-up and Detailing Tools:

Touch-up Texture Roller Sleeve: Bluestone – SR0920



River Bottom Texture Mats & Touch-up Skins

Available Tools:

18" x 18" – S7018-TS (touch-up texture skin)
36" x 36" – S7036-TS (texture mat with handles)
48" x 48" – S7048-TS (texture mat with handles)


Recommended Contractor Set: 4 – 48" x 48", 1 – 18" x 18"



Rugged Textures

LITHOTEX® Pavecrafters® Concrete Patterns and Textures

Note: All measurements are approximate




Pebblestone Texture Mats & Touch-up Skins

Available Tools:

- 18" x 18" – S8318-TS (touch-up texture skin)
- 36" x 36" – S8336-TS (texture mat with handles)
- 48" x 48" – S8348-TS (texture mat with handles)

Recommended Contractor Set: 4 – 48" x 48", 1 – 18" x 18"




Oxford Slate Texture Mats & Touch-up Skins

Available Tools:

- 18" x 18" – S8418-TS (touch-up texture skin)
- 36" x 36" – S8436-TS (texture mat with handles)
- 48" x 48" – S8448-TS (texture mat with handles)

Recommended Contractor Set: 4 – 48" x 48", 1 – 18" x 18"





Hadley Creek Shale Texture Mats & Touch-up Skins

Available Tools:

- 18" x 18" – S8518-TS (touch-up texture skin)
- 36" x 36" – S8536-TS (texture mat with handles)
- 48" x 48" – S8548-TS (texture mat with handles)

Recommended Contractor Set: 4 – 48" x 48", 1 – 18" x 18"



Rock Salt Texture Mats & Touch-up Skins

Available Tools:

- 18" x 18" – S7818-TS (touch-up texture skin)
- 36" x 36" – S7836-TS (texture mat with handles)
- 48" x 48" – S7848-TS (texture mat with handles)


Recommended Contractor Set: 4 – 48" x 48", 1 – 18" x 18"



Rugged Textures

LITHOTEX® Pavecrafters® Concrete Patterns and Textures

Note: All measurements are approximate




Graded Rock Salt Texture Mats & Touch-up Skins

Available Tools:

- 18" x 18" – S8818-TS (touch-up texture skin)
- 36" x 36" – S8836-TS (texture mat with handles)
- 48" x 48" – S8848-TS (texture mat with handles)

Recommended Contractor Set: 4 – 48" x 48", 1 – 18" x 18"





Fractured Slate Texture Mats & Touch-up Skins

Available Tools:

- 18" x 18" – S8918-TS (touch-up texture skin)
- 36" x 36" – S8936-TS (texture mat with handles)
- 48" x 48" – S8948-TS (texture mat with handles)

Recommended Contractor Set: 4 – 48" x 48", 1 – 18" x 18"




Fractured Earth Texture Mats & Touch-up Skins

Available Tools:

- 18" x 18" – S8718-TS (touch-up texture skin)
- 36" x 36" – S8736-TS (texture mat with handles)
- 48" x 48" – S8748-TS (texture mat with handles)

Recommended Contractor Set: 4 – 48" x 48", 1 – 18" x 18"



9" Texture Roller Sleeves

Patent No. 9,079,330

- For use as touch-up tools with their corresponding texture mats
- They can also be used as stand-alone tools
- The 9" texture roller sleeves fit on most 9" paint rollers with 3/4" nap (paint roller with nap not included)
- Use with stampable overlays or fresh concrete

Available Types:

- Italian Slate – SR0972
- Bluestone – SR0920
- Chiseled Slate – SR0976
- Coarse Stone – SR0974



Chiseled Slate Texture



Rugged Textures

LITHOTEX® Pavecrafters® Concrete Patterns and Textures


9" Italian Slate Texture Roller Sleeve

Pattern # SR0972
Patent No. 9,079,330




9" Bluestone Texture Roller Sleeve

Pattern # SR0920
Patent No. 9,079,330




9" Chiseled Slate Texture Roller Sleeve

Pattern # SR0976
Patent No. 9,079,330



9" Coarse Stone Texture Roller Sleeve

Pattern # SR0974
Patent No. 9,079,330



18" Texture Roller Sleeves

Patent No. 9,079,330

- Made to create the look of natural stone or slate similar to Scofield® texture skins
- Use with stampable overlays or fresh concrete
- A fully assembled 18" Roller Frame with 3/4" Nap Roller and texture roller sleeve attaches to a standard broom handle
- They eliminate the need for a heavy urethane core making them cost effective and lightweight

Available Types:


Italian Slate – SR1872
Bluestone – SR1820
Chiseled Slate – SR1876
Coarse Stone – SR1874
Rock Salt – SR1878

Additional Tools:

SR1899 – 18" Roller Frame with 3/4" Nap Roller and End Caps


18" Italian Slate Texture Roller Sleeve

Pattern # SR1872
Patent No. 9,079,330




18" Roller Frame with 3/4" Nap Roller and End Caps

Pattern # SR1899



18" Bluestone Texture Roller Sleeve

Pattern # SR1820
Patent No. 9,079,330



18" Chiseled Slate Texture Roller Sleeve

Pattern # SR1876
Patent No. 9,079,330




18" Coarse Stone Texture Roller Sleeve

Pattern # SR1874
Patent No. 9,079,330



18" Rock Salt Texture Roller Sleeve

Pattern # SR1878
Patent No. 9,079,330



Special Patterns

LITHOTEX® Pavecrafters® Concrete Patterns and Textures

■ 96" Windrose 1/4 Circle



Special Patterns

LITHOTEX® Pavecrafters® Concrete Patterns and Textures


Note: All measurements are approximate



48" Compass Rose

Pattern # S8235


Grout Line Width: 1/8"-1/2"



48" Windrose

Pattern # S8230

Grout Line Width: 1/4"-1/2"




96" Windrose 1/4 Circle

Pattern # S8240

Grout Line Width: 1/8"-5/8"
Grout Line Depth: 1/16"-1/4"

The 96" Windrose 1/4 Circle consists of a single 1/4 circle stamp. Recommended contractor set is 2 for alignment purposes.



Nickel Plate Rail Spur

Pattern # S8900


Suggested Touch-up and Detailing Tools:

Touch-up Texture Skins:

6" Wood Plank – S7372-TS

Pebblestone – S8318-TS

Tool Depth: 1/4"



Special Patterns

LITHOTEX® Pavecrafters® Concrete Patterns and Textures




Texas State & Star

Available Sizes:

2' x 2' – S7702

3' x 3' – S7703

Grout Line Width: 1/4"



Texas Weave



Pattern # S7705

Additional Tools:

Texas Weave Touch-up – S7706

Grout Line Width: 1/8"-1/4"
Grout Line Depth: 1/8"

Texas Weave Touch-up
Pattern # S7706



ADA Truncated Dome Mat





Available Sizes:

24" x 24" – S7500

36" x 24" – S7503

48" x 24" – S7504

60" x 24" – S7505



Special Patterns

LITHOTEX® Pavecrafters® Concrete Patterns and Textures


Note: All measurements are approximate



Diamond Tactile Pattern

Pattern # S7400

Grout Line Width: 3/16"
Grout Line Depth: 3/16"
Diamond Size: 5/8" x 1 3/8"





Numbers

- Sold as set: 0 through 9

Available Heights:

3 7/8" Set – S7890

1 1/8" Set – S7892




Letters

- Both heights are available in letters A through Z
- Each letter is sold separately

Available Heights:

3 7/8" – S7890LET

1 1/8" – S7892LET



Special Patterns


LITHOTEX® Pavecrafters® Concrete Patterns and Textures



Steer Head

Pattern # S9973




Grout Line Width: 3/8"



Lake Trout

Pattern # S9930

Grout Line Width: 1/8"



The animal print stamps attach to a standard threaded broom handle.


Deer Dewclaw (Set of Two)

Pattern # S9934




Deer Hoof Print (Set of Four)

Pattern # S9932




Coyote Paw Print (Set of Four)

Pattern # S9933



Gray Wolf Paw Print (Set of Two)

Pattern # S9931



Border Patterns

LITHOTEX® Pavecrafters® Concrete Patterns and Textures

Note: All measurements are approximate



4" Tumbled Edge Stone Border

Pattern # S8210

Additional Tools:

Finishing Corner – S8211

'T' – S8212

Cross – S8213


Recommended Contractor Set: 2 Rigid, 1 Flex, 1 Corner, 1 Skin, 1 Roller Sleeve
(1 Cross & 1 'T' if needed)

Suggested Touch-up and Detailing Tools:


Touch-up Texture Skin: Bluestone – S20018-TS

Touch-up Texture Roller Sleeve: Bluestone – SR0920

Chisels: 2" & 4" **Touch-up Wheel:** 3/16" or 3/8"





Grout Line Width: 1/4"-5/8"






'T'

Pattern # S8212



Finishing Corner

Pattern # S8211



Cross

Pattern # S8213



18" Tumbled Edge Stone with 4" Stone Border

Pattern # S8205

Recommended Contractor Set: 6 Rigid, 1 Flex, 1 Skin, 1 Roller Sleeve


Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Bluestone – S20018-TS

Touch-up Texture Roller Sleeve: Bluestone – SR0920

Chisels: 2", 4", & 8" **Touch-up Wheel:** 3/16" or 3/8"

Grout Line Width: 3/16"-1/2"



4" x 4" Granite Border 2 Row

Pattern # S5615


Recommended Contractor Set: 2 Rigid, 1 Flex, 1 Skin

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: 4" x 4" Granite Set – S5618-TS

Chisels: 2" & 4" **Touch-up Wheel:** 3/16" or 3/8"

Grout Line Width: 3/8"-5/8"



Border Patterns

LITHOTEX® Pavecrafters® Concrete Patterns and Textures

Note: All measurements are approximate



4" x 4" Granite Border 3 Row

Pattern # S5616


Recommended Contractor Set: 2 Rigid, 1 Flex, 1 Skin

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: 4" x 4" Granite Set – S5618-TS

Chisels: 2" & 4" **Touch-up Wheel:** 3/16" or 3/8"

Grout Line Width: 3/8"-5/8"



Roman Rope

Pattern # S7900



Recommended Contractor Set: 2 Rigid, 1 Flex, 1 Skin

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Roman Rope – S7918-TS

Chisels: not recommended **Touch-up Wheel:** 3/16"

Grout Line Width: 1/4"



New Brick Soldier Course

Pattern # S6900

Additional Tools:

Finishing Corner – S6903 (see **A**)

Soldier Curve – S6230, Single Brick Set – S6905 (see **B**)

Recommended Contractor Set: 2 Rigid, 1 Flex, 1 Finishing Corner, 1 Soldier Curve, 1 Single Brick Set, 1 Skin, 1 Roller Sleeve, 1 Touch-up Tool Set


Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: New Brick – S7318-TS

Touch-up Texture Roller Sleeve: New Brick – SR0960

Touch-up Tool Set: New Brick Soldier Course – S6231

Grout Line Width: 1/4"-3/8"
Brick Size: 3 3/4" x 7 3/4"



Pennsylvania Avenue Soldier Course

Pattern # S6805

Additional Tools:

Finishing Corner – S6806 (see **C**),

Soldier Curve – S6630, Single Brick Set – S6807 (see **D**)

Recommended Contractor Set: 2 Rigid, 1 Flex, 1 Finishing Corner, 1 Soldier Curve, 1 Single Brick Set, 1 Skin, 1 Roller Sleeve, 1 Touch-up Tool Set


Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Old Chicago – S73180-TS

Touch-up Texture Roller Sleeve: Old Chicago – SR0966

Touch-up Tool Set: Pennsylvania Avenue Soldier Course – S6631

Grout Line Width: 1/4"
Brick Size: 3 7/8" x 8"



Border Patterns

LITHOTEX® Pavecrafters® Concrete Patterns and Textures

Note: All measurements are approximate



Old Chicago Soldier Course

Pattern # S6800

Grout Line Width: 3/8"
Brick Size: 4" x 8 1/2"

Additional Tools:

Finishing Corner – S6801 (see **E**),
Soldier Curve – S6830, Single Brick Set – S6803 (see **F**)

Recommended Contractor Set: 2 Rigid, 1 Flex, 1 Finishing Corner,
1 Soldier Curve, 1 Single Brick Set, 1 Skin, 1 Roller Sleeve, 1 Touch-up Tool Set

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: Old Chicago – S73180-TS

Touch-up Texture Roller Sleeve: Old Chicago – SR0966

Touch-up Tool Set: Old Chicago Soldier Course – S6831


Chisels: 2", 4", & 8" **Touch-up Wheel:** 3/8"



Soldier Course Accessories



Pennsylvania Avenue
Soldier Curve




New Brick Soldier Curve

Pattern # S6230

Patent No. 8,672,580 B1

Soldier Curve Tools


- Automatically adjusts brick angles as if they were cut by a mason
- Eliminates sloppy hand cut borders
- Easily conforms to different radii
- Designed to be used in conjunction with their corresponding soldier course border pattern



Pennsylvania Avenue Soldier Curve

Pattern # S6630


Patent No. 8,672,580 B1



Old Chicago Soldier Curve


Pattern # S6830

Patent No. 8,672,580 B1



New Brick Soldier Course Touch-up Tool Set

Pattern # S6231



Pennsylvania Avenue Soldier Course Touch-up Tool Set

Pattern # S6631



Old Chicago Soldier Course Touch-up Tool Set

Pattern # S6831

Border Patterns

LITHOTEX® Pavecrafters® Concrete Patterns and Textures

Note: All measurements are approximate



New Brick Soldier Course Stacked

Pattern # S6901

Recommended Contractor Set: 2 Rigid, 1 Flex,
1 Skin, 1 Roller Sleeve

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: New Brick – S7318-TS

Touch-up Texture Roller Sleeve: New Brick – SR0960

Chisels: 2", 4", & 8" **Touch-up Wheel:** 3/16" or 3/8"

Grout Line Width: 1/4"-3/8"

Brick Size: 3 3/4" x 7 5/8"



New Brick Sailor Course

Pattern # S6950

Additional Tools:

Single Brick Set – S6955 (see **A**)


Recommended Contractor Set: 2 Rigid, 1 Flex,
1 Single Brick Set, 1 Skin, 1 Roller Sleeve

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: New Brick – S7318-TS

Touch-up Texture Roller Sleeve: New Brick – SR0960

Chisels: 2", 4", & 8" **Touch-up Wheel:** 3/16" or 3/8"



Sailor Course
Single Brick Set
is used for hand
setting of bricks on
a sailor course.

Grout Line Width: 1/4"-3/8"

Grout Line Depth: 1/8"-3/16"

Brick Size: 7 5/8" x 3 3/4"



Large Brick Soldier Course

Pattern # S6850


Recommended Contractor Set: 2 Rigid, 1 Flex, 1 Skin,
1 Roller Sleeve

Suggested Touch-up and Detailing Tools:

Touch-up Texture Skin: New Brick – S7318-TS

Touch-up Texture Roller Sleeve: New Brick – SR0960

Chisels: 2", 4", & 8" **Touch-up Wheel:** not recommended



Grout Line Width: 1/8"

Brick Size: 3 7/8" x 11 3/4"

Chiseled Slate Shoe-In Texture Shoes


Pattern # SI76

Available Sizes:

M (men's shoe sizes less than 9)

L (men's shoe sizes 9-11)

XL (men's shoe sizes above 11)



8 1/2" x 16 1/2"



Coarse Stone Shoe-In Texture Shoes


Pattern # SI74

Available Sizes:

M (men's shoe sizes less than 9)

L (men's shoe sizes 9-11)

XL (men's shoe sizes above 11)



8 1/2" x 16 1/2"



Bluestone Shoe-In Texture Shoes


Pattern # SI20

Available Sizes:

M (men's shoe sizes less than 9)

L (men's shoe sizes 9-11)

XL (men's shoe sizes above 11)





8 1/2" x 16 1/2"



Stamping Accessories

LITHOTEX® Pavecrafters® Concrete Patterns and Textures

Our tampers, hand chisels and touch-up wheels are a must on every stamping job. The hand chisels and touch-up wheels are used to finish g out lines in difficult eas or on the edges where the stamping mats cannot reach.



	ITEM NAME	PART NO.	SPECIFICATIONS
A.	2" Chisel	S8101	Aluminum
B.	4" Chisel	S8103	Aluminum
C.	8" Chisel	S8108	Aluminum
D.	12" Chisel	S8112	Aluminum
E.	3/16" Touch-up Wheel	S8115	Aluminum with a 3/16" flat joint
F.	3/8" Touch-up Wheel	S8116	Aluminum with a 3/8" flat joint
G.	Thin Stone Edge Touch-up Wheel	S8120	Aluminum with a stone edge joint varying 1/8"-1/4"
H.	Medium Stone Edge Touch-up Wheel	S8121	Aluminum with a stone edge joint varying 3/16"-1/2"
I.	Large Sanded Joint Touch-up Wheel	S8122	Aluminum with a 5/8" sanded joint
J.	Control Joint Stone Texture Roller	S8117	Urethane joint roller for creating natural texture in joints
K.	6" x 6" Shock Absorbing Tamper	TMP06SHOCKLESS	The 6" x 6" Shock Absorbing Tamper is used along wall lines and hard to reach areas. Available with either a long or short handle.
L.	6" x 6" Shock Absorbing Tamper Short Handle	TMP06SHORT	
M.	12" x 12" Shock Absorbing Tamper	TMP12SHOCKLESS	

Form and Step Liners

LITHOTEX® Pavecrafters® Concrete Patterns and Textures

■ 4" Cantilevered Cut Stone Step Liner



STACKABLE FORM LINER



6" Stackable Cobblestone Form Liner


Available Tools:

- 6" Liner A – S50068A (see **A**)
- 6" Liner B – S50068B (see **B**)


Additional Tools:

- Control Joint Texture Strip – S58001
- 2' Offset – S50062
- 8" End Set of 2 – S5006E08
- 10" End Set of 2 – S5006E10

The 6" Stackable Cobblestone Form Liner minimizes stone repetition by alternating Liner A, Liner B, and the 2' Offset during stacking.



Both Liner A and Liner B are labeled on the back for identification during stacking.



8" End Set of 2

Grout Line Width: 3/16"-3/8"
Grout Line Depth: 1/16"-3/8"




2' Offset
Pattern # S50062



8" End Set of 2
Pattern # S5006E08




10" End Set of 2
Pattern # S5006E10




Control Joint Texture Strip Pattern # S58001

Refer to ACI Standards and Guidelines on placement of vertical control joint strips



The Control Joint Texture Strip is used to help control random cracking in the wall while adding a decorative feature.





Country Ledge Form Liner

Patent No. 5,885,502

Available Tools:



- 2' – S3624
- 3' – S3636
- 6" x 6" Filler Stone – S3606
- 3" x 12" Filler Stone – S36123
- 6" x 12" Filler Stone Single – S36126SINGLE
- 6" x 12" Filler Stone Double – S36126DOUBLE

Additional Tools:

- Extension – (see pattern #(s) below)
- Outside Corner A – (see pattern #(s) below)
- Outside Corner B – (see pattern #(s) below)
- Inside Corner D – (see pattern #(s) below)
- Inside Corner E – (see pattern #(s) below)
- 10" End Piece C – (see pattern #(s) below)
- 12" End Piece C – (see pattern #(s) below)

The 2' and 3' liners can be used together to create any wall height in one foot increments

Grout Line Width: 1/2"-1"



6" x 6" Filler Stone

Pattern # S3606



All corners and end pieces are labeled on the back for identification



3" x 12" Filler Stone

Pattern # S36123



6" x 12" Filler Stone – Single

Pattern # S36126S



6" x 12" Filler Stone – Double

Pattern # S36126D



10" End Piece C

Available Sizes:
2' – S3624C
3' – S3636C



Extension

Available Sizes:
2' – S3624X
3' – S3636X



Outside Corner (2 pieces)

Available Sizes:
2' A – S3624A
2' B – S3624B
3' A – S3636A
3' B – S3636B



Inside Corner (2 pieces)

Available Sizes:
2' D – S3624D
2' E – S3624E
3' D – S3636D
3' E – S3636E



12" End Piece C

Available Sizes:
2' – S3624C 12



COUNTRY LEDGE FORM LINER



Country Ledge Column Form

- Can be used to create stand alone columns or in conjunction with the Country Ledge Form Liner System
- Natural look of real stone
- Extender pieces are used to increase the height of both size columns by 6"

Available Tools:

- 24" A – S361824A (see **A**)
- 24" B – S361824B (see **B**)
- 24" C – S361824C (see **C**)
- 24" D – S361824D (see **D**)
- 40" A – S361840A
- 40" B – S361840B
- 40" C – S361840C
- 40" D – S361840D

Additional Tools:

- 6" Extender A – S361806A
- 6" Extender B – S361806B
- 6" Extender C – S361806C
- 6" Extender D – S361806D





Grout Line Width: 1/2"-1"



All liner pieces are labeled on the back for identification

Also available in 40" height



6" Extender A
Pattern # S361806A



6" Extender B
Pattern # S361806B



6" Extender C
Pattern # S361806C



6" Extender D
Pattern # S361806D





2 1/2" Cantilevered Cut Stone Step Liner and Riser Stone Liner



Stone Form Liners

2 1/2" Cantilevered Cut Stone Step Liner


Pattern # S9101

Additional Tools:

- 90° Outside Corner – S9103 (see **E**)
- 90° Inside Corner – BST9109 (see **F**)



2 1/2" Cantilevered
Cut Stone Step Liner





Riser Liner, cut to size

4" Cantilevered Cut Stone Step Liner

Pattern # S9102

Additional Tools:

- 90° Outside Corner – S9105 (see **G**)
- 90° Inside Corner – S9113 (see **H**)







One Piece Cantilevered Step Liners

Available Sizes:
8' x 6 1/4" – S9133
8' x 7 1/4" – S9150



Additional Tools:
Corner – S9151

Corner works with both size liners



45° Stone Edge Step Liners

Available Sizes:
8' x 6 1/4" – S9135
8' x 7 1/4" – S9115



FORM & STEP LINERS - STONE FORM LINERS




1 1/2" Cut Stone Form Liner

Pattern # S9101.5

Additional Tools:

90° Outside Corner – S9118 (see **A**)

90° Inside Corner – S9119 (see **B**)



8' x 1 1/2"




2 1/4" Cut Stone Form Liner

Pattern # S9100

Additional Tools:

90° Outside Corner – S9107 (see **C**)

90° Inside Corner – S9108 (see **D**)



8' x 2 1/4"





4" Cut Stone Form Liner

Pattern # S9104

Additional Tools:

90° Outside Corner – S9106 (see **E**)

90° Inside Corner – S9112 (see **F**)



8' x 4"


6" Cut Stone Form Liner

Pattern # S9130



Additional Tools:

90° Outside Corner – S9132 (see **G**)

90° Inside Corner – S9131 (see **H**)



8' x 6"



FORM & STEP LINERS - STONE FORM LINERS




2 1/4" Arcadian Stone Form Liner

Pattern # S9162

Additional Tools:

90° Outside Corner – S9163 (see **A**)

90° Inside Corner – S9161 (see **B**)




4" Arcadian Stone Form Liner

Pattern # S9164

Additional Tools:

90° Outside Corner – S9165 (see **C**)

90° Inside Corner – S9166 (see **D**)



Bull Nose Form Liners

2 1/8" Bull Nose Form Liner

Pattern # S9120


Additional Tools:

90° Outside Corner – S9121 (see **E**)

90° Inside Corner – S9123 (see **F**)


90° Sweeping Outside Corner – S9122 (see **G**)

90° Sweeping Inside Corner – S9124 (see **H**)



2 1/2" Bull Nose with Quarter Round Form Liner

Pattern # S9125





Gilpin's Falls Bridge Plank Texture


Wood One Piece 7 1/4" Step Liner

Pattern # S9178



- Achieve a cantilevered wood grain edge and wood textured riser without complex forming
- Liner designed to allow for finishing of step or slab below
- Flexible high quality, multiple use urethane liner can be used on radius application
- Specially designed corner piece available for creating cantilevered returns
- Recommended for use with Gilpin's Falls Bridge Plank Texture

Additional Tools:

Corner – S9179



Gilpin's Falls Bridge Plank Texture



4" Gilpin's Falls End Grain Liner

Pattern # S9177

Used to create an end grain texture/pattern on the face of a slab or riser when using Gilpin's Falls Bridge Plank stamp pattern (see page 14)

Image shows cross section only to show texture

Grout Line Width: 1/8"
Grout Line Depth: 3/16"



2" Gilpin's Plank Edge Liner

Gilpin's Plank Edge Liners

Available Sizes:

8' x 2" – S9192



8' x 4" – S9194





Light Bark Edge Liners

- Available Sizes:
8' x 2" – S9174
8' x 4" – S9182
8' x 6" – S9170




Heavy Bark Edge Liners

- Available Sizes:
8' x 2" – S9176
8' x 6" – S9172



2 3/8" Bare Tree Edge Liner
Pattern # S9180





5 1/8" Riser Cobblestone Liner

Pattern # S9116

Image shows cross section only to show texture

Grout Line Width: 1/4"-3/8"



The 5 1/8" Riser Cobblestone Liner is designed to be used with the 2 1/2" Cantilevered Cut Stone Step Liner and 2 1/4" Cut Stone Step Liner to create 7 3/8" steps or with the 2 1/8" Bull Nose Form Liner to create 7 1/4" steps. It may also be used as a standalone liner.

5 1/8" Riser Slate Liner

Pattern # S9117



Grout Line Width: 1/4"

Image shows cross section only to show texture



The 5 1/8" Riser Slate Liner is designed to be used with the 2 1/2" Cantilevered Cut Stone Step Liner and 2 1/4" Cut Stone Step Liner to create 7 3/8" steps or with the 2 1/8" Bull Nose Form Liner to create 7 1/4" steps. It may also be used as a standalone liner.

9 1/4" Riser Stone Liner


Pattern # S9110



The 9 1/4" Riser Stone Liner can be trimmed on-site to desired riser height. It can be used as a standalone liner or in conjunction with all sizes of the Cut Stone Form Liner, Cantilevered Cut Stone Step Liner, and Bull Nose Form Liner.

18" Riser Stone Liner

Pattern # S9111



The 18" Riser Stone Liner can be trimmed on-site to desired riser height. It can be used as a standalone liner or in conjunction with all sizes of the Cut Stone Form Liner, Cantilevered Cut Stone Step Liner, and Bull Nose Form Liner.




1 1/2" Pebblestone Form Liner

Pattern # S9141



7 1/4" Pebblestone Form Liner


Pattern # S9140




URETHANE PRECAST MOLDS

Table Mold System

- The 2', 3', & 4' molds replicate the look of a cut log round
- The molds can be poured with standard concrete, Flat Out® Countertop Mix, or a variety of other high strength concrete mix designs
- Legs work for both 3' and 4' Log Round Table Mold (1 leg per mold, 2 legs per table)



Heavy Bark Log Liner for 24" Concrete Form Tube
Pattern # S9216



74" x 27"



4' Log Round Table Top Mold
Pattern # SLR4






Table Leg Mold
Pattern # SLEG100




6" Table Leg Mold Block Set
Pattern # SLEG101

Block set used to reduce height of table legs by 6"




Shown with the Table Leg Mold

3' Log Round Table Top Mold
Pattern # SLR3





2' Log Round Table Top Mold
Pattern # SLR2



Concrete Bench Mold System

- Durable urethane molds
- Gilpin's Falls Bridge Plank and Bluestone Texture tops work with both leg systems



Bench Hardware

Pattern # S8100 (see E)



Includes (4 each) – 2 3/4" partially threaded bolt, washer, 1/2" threaded insert 1 1/2" length

Bench Leg Mold

Pattern # S100 (see D)



Wood Plank Bench Top Mold

Pattern # S7348 (see A)



Bluestone Texture Bench Top Mold

Pattern # SBM4200 (see B)



Bench Leg with Backrest Mold Set

Pattern # S200 (see C)




URETHANE PRECAST MOLDS - WOOD SLAB MOLD SYSTEM




Ash Bare Edge Slab Mold
Pattern # SLE81

Additional Tools:
Texture Skin – SLE81TS



Walnut Live Edge Slab Mold
Pattern # SLE82





Pattern: Weathered Edge Wall



Weathered Edge Wall


Pattern # S1100

Additional Tools:

Finishing Tool – S1101 (see **A**)

Recommended Contractor Set: 1 of each color Wall Stamp,
1 of each color Finishing Tool

Grout Line Width: 1/4"-3/4"



Top Stone Wall


Pattern # S1200

Additional Tools:

Finishing Tool – S1201 (see **B**)

Recommended Contractor Set: 1 of each color Wall Stamp,
1 Finishing Tool

Grout Line Width: 1/4"-1"



Platteville Limestone (Small)

Pattern # S1300


Additional Tools:

Single (Small) – S1350BL (see **C**)

Recommended Contractor Set: 1 of each color Wall Stamp,
1 Single (Small)

The Platteville Limestone (Small) tools can be used separately or interchangeably with the Platteville Limestone (Large) tools (S1400) to achieve additional random stone variation.

Grout Line Width: 1/2"



Platteville Limestone (Large)

Pattern # S1400

Recommended Contractor Set: 1 of each color Wall Stamp

The Platteville Limestone (Large) tools can be used separately or interchangeably with the Platteville Limestone (Small) tools (S1300) to achieve additional random stone variation.

Grout Line Width: 1/2"



VERTICAL OVERLAY ACCESSORIES



9" Rock Face Texture Roller
Pattern # S8002
Suggested Touch-up and Detailing Tools:
Touch-up Texture Skin: Rock Face – S8102



Touch-up Texture Skin
Product Num. S8102



9" Pitted Rock Face Texture Roller
Pattern # S8003
Suggested Touch-up and Detailing Tools:
Touch-up Texture Skin: Pitted Rock Face – S8103



Touch-up Texture Skin
Pattern # S8103



Knife Edge Joint Roller
Pattern # S8001
Dimensions: Tapers out from 5/8" down to blade thin
Frame is included



Medium Wood Grain Texture
Available Sizes:
2' x 10 1/2" – S1502
7' x 10 1/2" – S1507
Suggested Touch-up and Detailing Tools:
Touch-up Texture Roller: 9" Medium Wood Grain – S8010



Touch-up Texture Roller
Pattern # S8010



9" Light Bark Texture Roller
Pattern # S8015
Suggested Touch-up and Detailing Tools:
Touch-up Texture Skin: Light Bark – S8115



Touch-up Texture Skin
Pattern # S8115



9" Heavy Bark Texture Roller
Pattern # S8016
Suggested Touch-up and Detailing Tools:
Touch-up Texture Skin: Heavy Bark – S8116



Touch-up Texture Skin
Pattern # S8116



21" Timber End Grain Round Texture
Pattern # S8117



Approx.
21" Diameter

*Shown with the 9" Heavy
Bark Texture Roller*



DECORATIVE CONCRETE STENCILS

Stencils are available in **adhesive back** and **non-adhesive back** rolls. **Adhesive back** stencils are used with **SCOFIELD® Texturetop® Pro Stencil Grade** (see page 59).

Non-adhesive back stencils are used with **LITHOCHROME® Color Hardener** (see page 60) or **LITHOCAST™ Surface Retarder** (see page 67).



Ashlar Slate


Available Tools & Sizes:

Non-Adhesive Back:


36"W x 335 LF (1,000 sq. ft.) – ST01

Adhesive Back:

36"W x 167 LF (500 sq. ft.) – ST01/ADH



Description: Random size squares and rectangles from 2 3/4" x 4 3/4" to 11" x 12" in size. Mortar joints range from 1/2" to 1" wide.



Face Brick

Available Tools & Sizes:

Non-Adhesive Back:

36"W x 335 LF (1,000 sq. ft.) – ST04

Adhesive Back:

36"W x 167 LF (500 sq. ft.) – ST04/ADH



Description: 2 1/4" x 7 3/4" bricks with 1/2" mortar joints arranged in running bond pattern.



Flagstone


Available Tools & Sizes:

Non-Adhesive Back:


33"W x 365 LF (1,000 sq. ft.) – ST06

Adhesive Back:

33"W x 167 LF (462 sq. ft.) – ST06/ADH



Description: Irregular shaped stones ranging in size from 8" x 15" to 7" x 9"



Old Chicago Brick


Available Tools & Sizes:

Non-Adhesive Back:

37"W x 335 LF (1,000 sq. ft.) – ST10



Description: Random broken bricks ranging in size from 2 1/2" x 3 3/4" x 9" with mortar joints ranging from 1/2" to 1 1/2".



Old English Cobblestone

Available Tools & Sizes:

Non-Adhesive Back:


33"W x 365 LF (1,000 sq. ft.) – ST11

Adhesive Back:

33"W x 167 LF (462 sq. ft.) – ST11/ADH



Description: Random shaped stones with highly rounded corners. Stone sizes range from 3 1/4" x 3 1/2" to 7" x 8 1/4" with irregular mortar joints.



Running Bond


Available Tools & Sizes:

Non-Adhesive Back:


36"W x 335 LF (1,000 sq. ft.) – ST14

Adhesive Back:

36"W x 167 LF (500 sq. ft.) – ST14/ADH



Description: 4" x 7 3/4" bricks with 1/2" mortar joints arranged in a running bond pattern.



Silverdale

Available Tools & Sizes:

Non-Adhesive Back:

36"W x 335 LF (1,000 sq. ft.) – ST22



Description: Random squares and rectangles ranging in size from 5" x 5" to 11" x 13 1/2" with 3/4" mortar joints.




Soldier Course

Available Tools & Sizes:

Non-Adhesive Back Small Roll: 300 LF – ST20/Small

Adhesive Back: 300 LF – ST20/ADH



Description: 3 5/8" x 7 3/4" bricks with 1/2" mortar joints arranged in single file for borders.



Cobble Header

Available Tools & Sizes:

Non-Adhesive Back: 300 LF – ST21



Description: Irregular stones varying from 4" x 8" to 5" x 8". Mortar joints from 1/2" to 1". Arranged in single file for borders.



Stencil Knock Down Roller


Available Sizes:

18" Roller – ST KNOCK-DWN ROLLER

Additional Tools:

18" Roller Frame – ST KNOCK-DWN FRAME

Used for embedding stencils into fresh concrete.
Attaches to a standard broom handle.





SCOFIELD® Texturetop® Pro Stamp Grade

SCOFIELD® Texturetop® Pro Stamp Grade

SCOFIELD® Texturetop® Pro Stamp Grade is a polymer modified cementitious topping formulated for resurfacing structurally sound, non-moving concrete floors and exterior hardscapes. The overlay provides a durable surface suitable for stamping with LITHOTEX® Pavecrafters® Stamping Tools or textured with SCOFIELD® Texture Rollers. The cured product is abrasion resistant and suitable for pedestrian and automobile traffic. It is an ideal system for creating a stamped or textured surface when the existing concrete is in good condition.



- 24 standard color packs available
- 21-day compressive strength is 5,250 psi
- Mixes with water
- Can be used with stamping tools and texture rollers
- Only primer needed, no slurry coat required

SCOFIELD® Texturetop® Pro Primer

SCOFIELD® Texturetop® Pro Primer is a bonding agent for use with SCOFIELD® Texturetop® Pro Stamp Grade Overlay, a cementitious overlay for the resurfacing of interior or exterior concrete. As an option, it may also be used with SCOFIELD® Texturetop® Pro Stencil Grade Overlay to improve adhesion and workability. It is a concentrated ethyl vinyl acetate (EVA) copolymer liquid, that when properly mixed and applied, enhances the adhesion, workability and curing of cementitious overlays. It is a white liquid that dries to a clear film. For interior or exterior and horizontal or vertical use.

- Interior or exterior use
- Re-emulsifies only once
- Promotes excellent adhesion
- Applied by roller, squeegee or broom





SCOFIELD® Texturetop® Pro Stencil Grade Decorative Application

SCOFIELD® Texturetop® Pro Stencil Grade

SCOFIELD® Texturetop® Pro Stencil Grade is a polymer modified cementitious topping formulated for resurfacing structurally sound, non-moving concrete floors, walls, and exterior hardscapes. The cured product creates an abrasion resistant surface suitable for pedestrian and automobile traffic. It is an ideal system for restoring worn or color blemished concrete, or correcting construction errors.

SCOFIELD® Texturetop® Pro Stencil Grade is a precise blend of graded sand, cement, and polymer, which allow for thin applications. It can be smooth troweled, broom finished, or applied using a hopper gun for a knock down finish. Application thickness ranges from 1/16 inch (1.5mm) to a maximum of 3/16 inch (4.5 mm). SCOFIELD® Texturetop® Pro Stencil Grade is pre-packaged in medium gray or white.



- Mixes with water
- Excellent for broom finish repair
- Can be integrally colored or stained
- 24 standard color packs available
- May be used vertically or horizontally
- 21-day compressive strength is 5,860 psi



SCOFIELD® Texturetop® Pro Stencil Grade Repair Application

CONCRETE COLOR

LITHOCHROME® Color Hardener

LITHOCHROME® Color Hardener is a dry shake color hardener that is applied to the surface of freshly placed concrete. It is a precise blend of cement, silica quartz aggregates, synthetic iron oxides and plasticizer. LITHOCHROME® Color Hardener conforms to ASTM Standard C979 for color stability. It is a cementitious-based coloring material that may be used to create abrasion resistant interior floors and freeze-thaw stable exterior hardscapes.

The time-tested formulation of LITHOCHROME® Color Hardener creates an extremely dense surface that is resistant to foot and vehicular traffic and extreme weather. It is available in a wide range of streak free, uniform colors ranging from subtle pastels to deep, rich hues. It is used to uniformly color gray concrete or provide random accents of color to integrally colored concrete.

The water-reducing wetting agent in LITHOCHROME® Color Hardener allows it to be readily incorporated into the concrete surface, forming a rich paste that makes finishing easier. In addition to strength and durability, the color hardened surface is resistant to fading.

- 24 standard colors
- Hardens & densifies concrete surface
- 50 lb. square pail covers approx. 80-100 sq. ft. depending on color
- Superior quality control
- Superior aggregate gradation allows for easy finishing
- Color matching and custom colors available
- 5 lb. square pail covers approx. 6-10 sq. ft. depending on color



LITHOTIQUE™ Antiquing Agent

LITHOTIQUE™ Antiquing Agent is a proprietary blend of powders which mixes with water. If properly applied to a stamped concrete surface, it will impart a secondary color to the surface visually enhancing its texture. LITHOTIQUE™ Antiquing Agent can be applied to newly stamped concrete, unsealed existing stamped concrete and unsealed SCOFIELD® Texturetop® Pro Stamp Grade overlay. LITHOTIQUE™ Antiquing Agent is inventoried in 14 standard colors that can be found on our LITHOCHROME® Antiquing Release Pro color chart.

LITHOTIQUE™ Antiquing Agent is designed for use on stamped textured surfaces and should not be used on untextured surfaces.

- Easy to use
- Water-based cementitious antiquing agent for stamped concrete textured surfaces
- Mixes with water
- 14 standard colors
- Applied with pump up sprayer or soft bristle brush





CHROMIX® Admixtures for Color-Conditioned® Concrete

CHROMIX® Admixtures for Color-Conditioned® Concrete

CHROMIX® Admixtures for Color-Conditioned® Concrete is a premeasured admixture for integrally coloring ready mixed concrete during batching. Conforming to ASTM Standard C979 (Standard Specification for Pigments for Integrally Colored Concrete), it is a blend of non-fading, synthetic iron oxides and a water-reducer, which produce uniform, streak-free colors in concrete.

The water-reducer in CHROMIX® Admixtures for Color-Conditioned® Concrete allows the color to quickly and evenly disperse without additional water, thereby maintaining the strength and freeze/thaw resistance of the cured concrete. This same component improves the finishing characteristics of the concrete, which contributes to color uniformity and surface durability. Superior quality control during manufacturing and packaging help to ensure your jobs will have uniform color from load-to-load. CHROMIX® Admixtures for Color-Conditioned® Concrete is suitable for all concrete flat work installations, interior floors and exterior hardscapes, as well as precast,



- 24 standard colors
- Self-dissolving bags
- One bag per cubic yard
- Custom colors available
- Color matching available
- Superior quality control
- Also available in granular form from select ready mix producers



SCOFIELD® Integral Color SG

SCOFIELD® Integral Color SG is an economical pre-measured pigment for integrally coloring ready mixed concrete and all manufactured concrete products during batching. Conforming to ASTM Standard C979 (Standard Specification for Pigments for Integrally Colored Concrete); it is a blend of non-fading, synthetic iron oxides.

The SCOFIELD® Integral Color SG color chart includes 11 standard base colors packaged in pre-measured dissolving bags. It represents dosages ranging from 1 bag per 2 yards of concrete to 3 bags per 1 yard of concrete of a single base color. By varying the dosage, each base color can produce 4 different colors.



- **11 base colors creates 44**
- Pre-measured self-dissolving bags
- Economic alternative

- Uniform color load-to-load
- Easy loading
- Reduces inventory



LITHOCHROME® Antiquing Release Pro

LITHOCHROME® Antiquing Release Pro is a pigmented powder bond breaker used with stamping mats, texturing skins and texture rollers. It also provides accent colors that compliment or contrast with the underlying concrete surface. Additionally, it enhances the transfer of the detailed pattern and texture, and prolongs the surface life of the stamping mat or texturing tool.

LITHOCHROME® Antiquing Release Pro is a finely ground, streak free powder that is a blend of UV-resistant pigments and water repelling additives. It is broadcast over the concrete surface prior to placing the stamping or texturing tools. As the imprinting tool is pressed into the plastic concrete surface, a portion of the LITHOCHROME® Antiquing Release Pro is embedded into the textured surface of the concrete.

- 14 standard colors
- 30 lb. bucket covers approximately 1,000-1,200 sq. ft.
- Lightweight/fine consistency allows for excellent stamp impressions
- May be applied with mason brush



LITHOCHROME® Antiquing Release Pro



SCOFIELD® Liquid Release BG

SCOFIELD® Liquid Release BG is a bond breaker used with stamping mats, texturing skins or texture rollers prior to imprinting concrete or cementitious overlays. It prevents the stamping or texturing tool from sticking to the surface and enhances the transfer of the detailed pattern and texture. It is suitable for outdoor and indoor use.

SCOFIELD® Liquid Release BG is particularly useful with overlays since it will not contaminate the existing concrete substrate as readily as powdered releases.

- Recommended for use with stampable overlay
- Ideal for indoor stamping and texturing
- Bubble gum scent
- Easy to apply
- No dust
- Liquid evaporates quickly



CONCRETE STAINS

LITHOCHROME® Chemstain® Classic

LITHOCHROME® Chemstain Classic® is a penetrating, reactive stain that chemically combines with cured concrete to produce permanent, variegated coloring effects. LITHOCHROME® Chemstain Classic® is suitable for exterior hardscapes, artificial rock formations, interior floors, walls, statuary, and countertops. Expect wide color variations, mottling and unevenness of the color. Each application of LITHOCHROME® Chemstain Classic® produces unique results.

Apply to clean, sound concrete or cementitious overlays. Different stain colors may be used in combination for more coloration affects. In addition, many faux finishing techniques used with paints, can be utilized with chemical stains. Introduce saw cuts to create patterns and graphics in the substrate before staining. For truly unique and creative concrete installations, use of LITHOCHROME® Chemstain Classic® can be combined with other Scofield® products.



LITHOCHROME® Chemstain® Classic

- 8 standard colors
- Use on interior or exterior concrete and cementitious overlays
- Reactive acid stain
- Concentrate that mixes 1:1 with water
- Natural looking color variations
- Apply to colored and uncolored concrete
- Seal for enhanced colorations

LITHOCHROME® Tintura Stain

LITHOCHROME® Tintura™ Stain represents the latest in nanopigment technology. It is formulated to create translucent color variations similar to reactive acid stain. It is a penetrating, non-film forming stain for existing concrete surfaces. Most colors are resistant to fading from sunlight (see note on color chart for colors not to be used exterior). It can be used on interior concrete floors and most colors can be used on exterior concrete hardscapes. It may also be applied to SCOFIELD® Texturetop® Pro cementitious overlays.



- 24 standard colors
- Creates translucent mottled color
- Water-based, contains no acid
- Broader color range compared to chemical stain
- Quick and easy clean-up
- Must be applied with HVLP or pneumatic airless sprayer



WARNING: TREATED SURFACES MAY BE SLIPPERY DURING APPLICATION PRIOR TO DRYING, AND WHEN WET WITH WATER OR LIQUIDS AFTER DRYING. CONCRETE SHOULD BE TEXTURED SUFFICIENTLY TO ELIMINATE POTENTIAL SLIPPING HAZARDS. IN ADDITION, USE A NON-SLIP ADDITIVE WHEN SEALING. INTERIOR FLOORS MAY BE MAINTAINED WITH A SLIP RESISTANT WAX. TEST AND CONFIRM THAT THE TREATED SURFACE IS ADEQUATELY SLIP RESISTANT PRIOR TO OPENING INSTALLATION AREA TO ANY TRAFFIC.

Curing and sealing concrete increases the strength and durability of the concrete surface. The appearance and visual coloration of decorative concrete is greatly enhanced. New colored concrete should be cured with a liquid applied, film-forming curing compound. Curing with plastic sheeting or water spray should never be utilized with colored concrete. Sealing concrete provides economical protection for floors and hardscapes, reducing maintenance costs. It also minimizes the effect of de-icing salts and exposure to gas or oil and discoloration from dirt and spills.



Solvent-Based Sealers

SCOFIELD® CureSeal™ 700

- A solvent-based, curing and sealing compound suitable for residential, commercial and municipal concrete surfaces
- Provides excellent color enhancement and protection for decorative concrete
- Non-yellowing seal for new and old concrete surfaces
- Available in 1 gallon (3.8 L) pails, 5 gallon (18.9 L) pails, or 55 gallon (208.2 L) drums
- Dries to a high gloss, UV resistant film



SCOFIELD® CureSeal™ 350

- **Formulated for use in regions that require less than 350 g/L VOC**
- A solvent-based, curing and sealing compound suitable for residential, commercial and municipal concrete surfaces
- Provides excellent color enhancement and protection for decorative concrete
- Non-yellowing seal for new and old concrete surfaces
- Available in 1 gallon (3.8 L) pails, 5 gallon (18.9 L) pails, or 55 gallon (208.2 L) drums
- Dries to a high gloss, UV resistant film
- Contains no acetone or TBA



Water-Based Sealers

SCOFIELD® SelectSeal™ Plus

- A high solids, low odor acrylic sealer developed for use on interior or exterior concrete
- Provides superior wet-slip resistance while forming a tough stain- and abrasion-resistant finish
- Clear semi-gloss coating that will increase in gloss as subsequent coats are applied
- Available in 1 gallon (3.8 L) pails, 5 gallon (18.9 L) pails, or 55 gallon (208.2 L) drums
- Provides minimal alteration to color
- VOC = 90.4 g/L



SCOFIELD® CureSeal-W™

- Developed for use on interior and exterior colored or uncolored concrete where uniform color and stain resistance is required immediately after placement
- Medium-duty sealer with a low-gloss finish
- Available in 1 gallon (3.8 L) pails, 5 gallon (18.9 L) pails, or 55 gallon (208.2 L) drums
- Provides minimal alteration to color
- VOC = 96.07 g/L



SCOFIELD® Repello FPS®

- Deeply penetrates porous cementitious surfaces
- Water repellent
- Resistant to staining from oils, sugar, and common foods
- Available in 1 gallon (3.8 L) pails, 5 gallon (18.9 L) pails, or 55 gallon (208.2 L) drums
- Barely perceptible when dry
- VOC = 5.1 g/L



LITHOCHROME® ColorWax™ Concrete Curing Compound

- Color-matched, low VOC concrete curing material
- Use to improve the visual uniformity of freshly placed concrete
- VOC = 42.27 g/L





LITHOCAST™ Surface Retarder

LITHOCAST™ Surface Retarder

LITHOCAST™ Surface Retarder is a water-based, biodegradable, low odor micro surface retarder designed to lightly etch the surface of concrete. Applied to the surface of new concrete following the finishing process, LITHOCAST™ Surface Retarder delays the set of the top layer of concrete while allowing the underlying concrete to hydrate normally. Once washed off, LITHOCAST™ Surface Retarder produces a simulated light sand blasted surface exposing the sands and small aggregate from 1/16" to 1/8".

Apply LITHOCAST™ Surface Retarder on gray concrete or concrete colored with CHROMIX® Admixtures for Color-Conditioned® Concrete or SCOFIELD® Integral Color SG. Use on poured-in-place flatwork: curbs, sidewalks, driveways, patios, pool decks, tilt-up and precast panels, and most horizontal concrete installations.

- 6 standard formulations
- Color-coded with fugitive dye
- Consistent finish
- Deactivates surface permanently
- Aids curing process
- No need to cover with polyethylene





YORK BLUESTONE

BASE COLOR: A-78 STONE GRAY RELEASE COLOR: A-21 DEEP CHARCOAL